

GLANZSTÜCKE



RETRO-BRICK
WITH SHEEN EFFECT.
EXTRA SLIM.
LONG SHAPE.




EXTRUDED VINTAGE LOOK WITH SHINE EFFECT AND WITH A USED LOOK TEXTURE. QUICK SLURRY APPLICATION.

Extra slim retro brick in long format 440 x 52 x 14 mm. Cleaner vintage look with unobtrusive shine effect. With a used look texture, but still with a smooth surface appearance.

This brick ensures quick application for laying and turns facades into unmistakable pièces de résistance without the need for joints. And as a high-tech brick veneer in high sinter quality, it's a pièce de résistance of energy-conscious "shell" design.

GLANZSTÜCKE VINTAGE LOOK. SHINE EFFECT. EXTRA SLIM.

FIRINGS AND FORMAT



Glanzstück № 1
Δ < 3 % · DIN EN 14411, Gr. A₁

long format 440 x 52 x 14 mm



Glanzstück № 2
Δ < 3 % · DIN EN 14411, Gr. A₁

long format 440 x 52 x 14 mm



Glanzstück № 3
Δ < 6 % · DIN EN 14411, Gr. All_a - Part 1

long format 440 x 52 x 14 mm



Glanzstück № 4
Δ < 6 % · DIN EN 14411, Gr. All_a - Part 1

long format 440 x 52 x 14 mm



Glanzstück № 5
Δ < 6 % · DIN EN 14411, Gr. All_a - Part 1

long format 440 x 52 x 14 mm



Glanzstück № 6
Δ < 3 % · DIN EN 14411, Gr. A₁

long format 440 x 52 x 14 mm












Glanzstück № 7
Δ < 3 % · DIN EN 14411, Gr. A₁

long format 440 x 52 x 14 mm

PRODUCT DETAILS

GLANZSTÜCKE


DIN EN 14411		
format no.	2452	2453
description	clinker brick slips	corner ¹⁾
nominal size (cm)	DF long format	DF
production size (mm)	440 x 52 x 14	240 x 115 x 52 x 14
<ul style="list-style-type: none">  Glanzstück № 1  Glanzstück № 2  Glanzstück № 3  Glanzstück № 4  Glanzstück № 5  Glanzstück № 6  Glanzstück № 7 	★ PG 464 ●	★ PG 774 ●
pieces per bundle	18	14
pieces per m ² /rm incl. joint	34,57	15,63
pieces per pallet	1.170	910
m ² /rm per bundle	0,52	0,90
m ² /rm per pallet	33,84	58,22
bundles per pallet	65	65
kg per pallet	796	528
kg per piece	0,680	0,580
kg per m ² /rm	23,508	9,065
kg per bundle	12,240	8,120
surcharge	❖	❖

- ★ = Discount on pallets.
- = Normally available ex stock.
- PG = Price group (please see current price list).
- ❖ = Minimum quantity: each open box will incur a surcharge.

¹⁾ = The Ströher standard for angular accuracy in angled brick slips is based on the DIN 105 standard for exposed clinker brickwork, but with only 50% of the permissible tolerance values. The Ströher specification is thus +/- 1°. This equates to a maximum deviation of +/- 4 mm on the stretcher side and +/- 2 mm on the header side for a corner with the 240 x 115 mm format.

The formats shown are illustrative drawings and are not binding. All information without guarantee.

* Ströher is the only German manufacturer offering a 25-year frost resistance guarantee on the following extruded products that have been correctly installed by a qualified professional tiler: Keraplatte® Selected, Keraplatte® Zoé, Keraplatte® Gravel Blend, Keraplatte® Epos, Keraplatte® Aera T, Keraplatte® Aera, Keraplatte® Roccia X, Keraplatte® Roccia, Keraplatte® Asar, Keraplatte® Terra, Keraplatte® Duro, Terrace slab TerioTec® X Profile, Terrace slab TerioTec® X, Terrace Slab TerioTec®, Stalotec®, Brickwerk, Brick 60, Wasserbrand, Kontur, Stiltreu, Riegel 50, Handstrich, Steinlinge, Glanzstücke, Zeitlos, Keraprotect® and Keravette®. Please find further explanations in our general terms and conditions.



Completely frost-resistant
*25 year guarantee

Tunnel kiln fired

Suitable for
insulation systems

Wheatproof

Economic

In compliance
with DIN EN

Fade-free and
colourfast

Easy maintenance
and hygienic

Ecofriendly

Resistant to
chemicals

Glow-resistant
and fireproof

Anti-static